



MOTRIX

MOTORCYCLE PARTS AND ACCESSORIES

***New Products
Release***

January. 2023





OIL FILTERS



109-030

Oil filter

MAKE	MODEL
GAS GAS	400 FSE
GAS GAS	450 EC
GAS GAS	450 FSE/SM
GAS GAS	450 FSR
GAS GAS	450 HP WILD
GAS GAS	450 PAMPERA
GAS GAS	450 SM
GAS GAS	510 EC
GAS GAS	510 SM
HONDA	200 XR R
HONDA	200 XR RB/RC/RD
HONDA	200 XR RE
HONDA	250 AX 1
HONDA	250 NX
HONDA	250 NX
HONDA	250 TLR
HONDA	250 XR
HONDA	250 XR
HONDA	250 XR
HONDA	250 XR SUPER
HONDA	350 XL
HONDA	350 XL X
HONDA	350 XR RD/RE/RF
HONDA	350 XR RG/RH
HONDA	400 XR R-3/4
HONDA	400 XR R-VW/X/Y/1/2
HONDA	500 XR RB/RC/RD/RE/RF
HONDA	600 XR R
HONDA	650 NX DOMINATOR

MAKE	MODEL
HONDA	650 XR L
HONDA	650 XR R
KAWASAKI	110 KLX
KAWASAKI	125 BN ELIMINATOR
KAWASAKI	125 BN ELIMINATOR
KAWASAKI	125 D TRACKER
KAWASAKI	125 Z PRO
KAWASAKI	140 KLX
KAWASAKI	140 KLX G
KAWASAKI	140 KLX L
KAWASAKI	250 KL SUPER SHERPA
KAWASAKI	250 KLX
KAWASAKI	250 KLX
KAWASAKI	250 KLX
KAWASAKI	250 KLX
KAWASAKI	250 KLX
KAWASAKI	250 KLX R
KAWASAKI	250 KLX R
KAWASAKI	250 KLX S
KAWASAKI	250 KLX S
KAWASAKI	250 KLX S
KAWASAKI	300 KLX R
KAWASAKI	450 KFX R
KAWASAKI	450 KFX R
KAWASAKI	450 KLX R
KAWASAKI	450 KX F
KAWASAKI	450 KX F
SUZUKI	110 DR-Z



EXHAUST GASKETS



193-922-E

Exhaust Gasket (10PCS/BAG)
For KAWASAKI KX65 00-19

GASKETS

ITEM NO.	Description	PICTURE
19-01841	Complete set gasket FOR HONDA CRF250F 2021- 2023	
19-01843	Top set gasket FOR HONDA CRF250F 2021- 2023	



HANDLEBAR CLAMPS



23-222-ASS

Alloy handlebar clamp,
22.2MM silver

HANDLEBARS



23-486-602B (AL6061)

23-486-702B (AL7075)

28.6mm Black taper handlebar with cross bar.
Width: 810mm, Height: 93mm, Rise:50mm,
Clamp area width: 163.26mm, Sweep: 55mm
For
KAWASAKI KX 03-05
SUZUKI RM-Z 250 05-06
and other OFF ROAD bikes

WIRE COVERS

469-99418 (4MM / L: 900-1000M)

469-99518 (5MM / L: 800-900M)

469-99618 (6MM / L: 700-800M)

Grey wire cover, 10kg



(4MM)



(5MM)



(6MM)





IMPELLERS

ITEM NO.	Description	PICTURE															
131-2013	Impeller only, material: ADC12 For <table> <tr> <td>HONDA</td><td>CRF250R</td><td>07-17</td></tr> <tr> <td>HONDA</td><td>CRF250X</td><td>07-17</td></tr> </table>	HONDA	CRF250R	07-17	HONDA	CRF250X	07-17										
HONDA	CRF250R	07-17															
HONDA	CRF250X	07-17															
133-2008	Impeller only, material: ADC12 For <table> <tr> <td>KAWASAKI</td><td>KX125</td><td>91-05</td></tr> <tr> <td>KAWASAKI</td><td>KX250</td><td>92-04</td></tr> <tr> <td>KAWASAKI</td><td>KX250 F</td><td>04-18</td></tr> <tr> <td>KAWASAKI</td><td>KX250 4T</td><td>19-20</td></tr> <tr> <td>KAWASAKI</td><td>KX500</td><td>88-04</td></tr> </table>	KAWASAKI	KX125	91-05	KAWASAKI	KX250	92-04	KAWASAKI	KX250 F	04-18	KAWASAKI	KX250 4T	19-20	KAWASAKI	KX500	88-04	
KAWASAKI	KX125	91-05															
KAWASAKI	KX250	92-04															
KAWASAKI	KX250 F	04-18															
KAWASAKI	KX250 4T	19-20															
KAWASAKI	KX500	88-04															
131-2014	Impeller only, material: ADC12 For <table> <tr> <td>HONDA</td><td>CRF250R</td><td>18-20</td></tr> <tr> <td>HONDA</td><td>CRF250RX</td><td>19-20</td></tr> </table>	HONDA	CRF250R	18-20	HONDA	CRF250RX	19-20										
HONDA	CRF250R	18-20															
HONDA	CRF250RX	19-20															

**** Not available in UK, USA, Israel, Portugal, Spain, Poland, Costa Rica, New Zealand, Australia**



SWITCHES

ITEM NO.	Description	PICTURE
461-MKE	Start switch FOR HONDA CRF250R/250RX 18-21	
467-1R7	Turn signal and light switch FOR YAMAHA DT125 79-81 DT250 79-81 XT500 78-83	
467-B11	Launch control switch FOR YAMAHA YZ450F 16-19	
467-B2W	Launch control switch FOR YAMAHA YZ450F 20-22	
459-00004	Brake pressure switch Double bolts M10*1.0 55CM	
459-00005	Brake pressure switch Double bolts M10*1.25 55CM	



BRAKE PEDALS



83P-351****

Alloy fixed tip brake pedal
For EC 125-300 1997-2011

SPROCKETS

ITEM NO.	Description	PICTURE
95200-114050	Rear sprocket, 50T For BETA 125 RR AC Motard 08-12	
95200-114054	Rear sprocket, 54T For BETA 125 RE AC 11-16 125 RR AC Enduro 13-15	
95200-114056	Rear sprocket, 56T For BETA 125 RR LC 4T Motard 11-17	
95200-114063	Rear sprocket, 63T For BETA 125 RR LC 4T Enduro 11-20 125 RR AC Motard 13-20	



LEVERS



L5B-17K

Brake lever for SUZUKI

MAKE	MODEL	YEAR
SUZUKI	GSX-R 1000	17-22

OIL FILTERS



109-030

Oil filter

MAKE	MODEL
HONDA	125 CBF
HONDA	125 VT SHADOW C/C2
HONDA	125 XL V VARADERO
HONDA	250 CBF
HONDA	250 CBR R
HONDA	250 CBX RS
HONDA	250 CBX RSE
HONDA	250 XL RC/RD PROLINK
HONDA	250 XL RL
HONDA	250 XL XLX RE/RF/RH
HONDA	500 FB TT
HONDA	500 FT C
HONDA	500 GB CLUBMAN TT/K
HONDA	500 GB TT
HONDA	500 XBR FG/FH

MAKE	MODEL
HONDA	500 XBR SJ/SH
HONDA	500 XL R
HONDA	500 XL S
HONDA	600 XL
HONDA	600 XL
HONDA	600 XL LM-F
HONDA	600 XL R
HONDA	600 XL RM-G
HONDA	650 FMX
HONDA	650 FX VIGOR
HONDA	650 SLR
HONDA	650 VIGOR FX
HONDA	600 XR R
HONDA	650 NX DOMINATOR



HANDLEBARS



23S-02010

Universal steel handlebar 7/8", black

Width: 31.5"

Rise: 5.5"

Center width: 6"

Pullback: 3.25"





HIGH SPEED TIRES

ITEM NO.	MAKE										PICTURE
55U-60/80X17-02B	60/80X17 27P/TL										
	Ply Rating	Unloaded Dimension				Rim Width (inch)	Max. Load		Max. Infl Pressure		
		SW		OD			kgs	lbs	PSI	kPa	
		mm	inch	mm	inch						
27P	60	2.4	528	20.8	1.4	97.5	215	32	225		
55U-70/80X18-02B	70/80X18 41P TL										
	Ply Rating	Unloaded Dimension				Rim Width (inch)	Max. Load		Max. Infl Pressure		
		SW		OD			kgs	lbs	PSI	kPa	
		mm	inch	mm	inch						
41P	69	2.7	569	22.4	1.6	125	276	32	225		
55U-90/80X18-02B	90/80X18 47P TL										
	Ply Rating	Unloaded Dimension				Rim Width (inch)	Max. Load		Max. Infl Pressure		
		SW		OD			kgs	lbs	PSI	kPa	
		mm	inch	mm	inch						
47P	90	3.5	601	23.7	2.15	175	386	32	225		
55U-100/80X18-02B	100/80X18 53P/TL										
	Ply Rating	Unloaded Dimension				Rim Width (inch)	Max. Load		Max. Infl Pressure		
		SW		OD			kgs	lbs	PSI	kPa	
		mm	inch	mm	inch						
53P	101	4.0	617	24.3	2.5	206	454	32	225		
55U-80/90X16-02B	80/90X16 43P/TL										
	Ply Rating	Unloaded Dimension				Rim Width (inch)	Max. Load		Max. Infl Pressure		
		SW		OD			kgs	lbs	PSI	kPa	
		mm	inch	mm	inch						
43P	80	3.7	550	21.7	1.85	155	342	32	225		



GASKETS



19-P11421

Complete set gasket.
FOR HONDA LEAD100



OIL FILTERS



109-030

Oil filter

MAKE	MODEL
ADLY	500 FLAT LOF
ADLY	500 S HURRICANE
HONDA	250 ATC
HONDA	250 ATC ES BIG RED
HONDA	250 R FOURTRAX
HONDA	250 TRX EX
HONDA	250 TRX EX
HONDA	250 TRX R FOURTRAC
HONDA	250 TRX RECON
HONDA	250 TRX RECON
HONDA	300 TRX
HONDA	300 TRX EX
HONDA	300 TRX FW
HONDA	330 RANCHER ES
HONDA	350 ATC
HONDA	350 FOURTRAX ES 4X4
HONDA	350 TRX
HONDA	350 TRX 4X4
HONDA	350 TRX D FOREMAN
HONDA	350 TRX EX SPORTRAX
HONDA	350 TRX FE RANCHER 4X4 ES
HONDA	350 TRX FM RANCHER 4X4
HONDA	350 TRX TE RANCHER ES
HONDA	350 TRX TM RANCHER
HONDA	400 FOREMAN S 4X4
HONDA	400 FOURTRAX ES/AT
HONDA	400 SPORTRAX EX
HONDA	400 TRX ES/EX/FM/FW
HONDA	400 TRX EX

MAKE	MODEL
HONDA	400 TRX FW FOREMAN 4X4
HONDA	420 TRX FM FOURTRAX RANCHER 4X4
HONDA	420 TRX TE FOURTRAX RANCHER ES
HONDA	450 TRX FE FORMAN ES
HONDA	450 TRX FM FORMAN S
HONDA	450 TRX FW FORMAN 4X4
HONDA	500 TRX FE FOREMAN 4X4 ES
HONDA	500 TRX FM FOREMAN 4X4
HONDA	500 TRX FM FOREMAN 4X4
HONDA	500 TRX FPE FOREMAN 4X4 W/PS
HONDA	500 TRX FPM FOREMAN 4X4 W/PS
HONDA	500 TRX TM FOREMAN500 XBR F
HONDA	700 TRX
POLARIS	500 OUTLAW
POLARIS	500 OUTLAW
POLARIS	500 PREDATOR
POLARIS	500 PREDATOR TROY LEE
QUADZILLA	450 R
QUADZILLA	450 RS
QUADZILLA	450 SPORT



SPARK PLUG RESISTOR COVERS

ITEM NO.	PICTURE		DESCRIPTION
28-02202			-External appearance: 102° Elbow type -Adaptable plug thread size: 10 & 12 mm Ø thread -Resistance: 5KΩ -Adaptable plug terminal: For terminal stud
28-02302			-External appearance: 120° Elbow type (Long) -Adaptable plug thread size: 14 mm Ø thread -Resistance: 5KΩ -Adaptable plug terminal: For terminal stud
28-02402			-External appearance: 90° Elbow type -Adaptable plug thread size: 14 mm Ø thread -Resistance: 5KΩ -Adaptable plug terminal: For terminal stud
28-02502			-External appearance: 90° Elbow type -Adaptable plug thread size: 14 mm Ø thread -Resistance: 1KΩ -Adaptable plug terminal: For terminal nut or integrated terminal -Accessory: With special water-proof cover
28-02602			-External appearance: Straight -Adaptable plug thread size: 14 mm Ø thread -Resistance: 5KΩ -Adaptable plug terminal: For terminal stud
28-02702			-External appearance: 120° Elbow type (short) -Adaptable plug thread size: 14 mm Ø thread -Resistance: 5KΩ -Adaptable plug terminal: For terminal stud



HORNS

· B86-00121



PARAMETER

- Size: 4.33mmX2.21mmX8.67mm
- Material: ABS+PC
- Weight: 60g
- Decibel: 80-130dB
- Charging Input: 5V-250mA
- Battery Capacity: 250mAh
- Waterproof: IPX6

FEATURE

All-in-one design, exquisite and compact, one sound mode, three-level volume adjustment, with anti-theft alarm function, three-level anti-theft monitoring sensitivity adjustment, sound up to 130 decibels, IPX6 waterproof design, suitable for different bicycle handlebars of 22-32mm.




***LOGO Needed**

· B86-00122

PARAMETER

- Charging Input: 5V-250mA
- Size: 4.33mmX2.21mmX8.67mm
- Battery Capacity: 250mAh
- Material: ABS+PC
- Waterproof: IPX6
- Weight: 60g
- Decibel: 80-130dB



FEATURE

Four sound modes, all-in-one design, exquisite and compact, three-level volume adjustment, with anti-theft alarm function, three-level anti-theft monitoring sensitivity adjustment, sound up to 130 decibels, IPX6 waterproof design, suitable for different bicycle handlebars of 22-32mm.



***LOGO Needed**



HORNS

· B86-00221

PARAMETER

- Size: 49mmX66mm
- Material: ABS+PC
- Weight: 40g
- Decibel: 80-130dB
- Charging Input: 5V-250mA
- Battery Capacity: 250mAh
- Waterproof: IP65
- Sound Mode: Trumpet
- Volume level: 3



***LOGO Needed**

FEATURE

Exquisite and compact, split-type multi-function button design, built-in 250mAh lithium battery, can ring 2000 times continuously, one sound mode, 3-level volume adjustment, sound up to 130 decibels, IP65 waterproof, drop-proof and dust-proof all three-proof design, dismantling. Fast and stable installation, suitable for all kinds of bicycle handlebars of 22-31.8mm.

· B86-00222

PARAMETER

- Size: 49mmX66mm
- Material :ABS+PC
- Weight: 40g
- Decibel: 120dB
- Sound Mode: Whistle, Trumpet, Siren, Didi
- Charging Input: 5V-250mA
- Battery Capacity: 300mAh
- Waterproof: IP65

FEATURE

Exquisite and compact, split-type multi-function button design, built-in 300mAh lithium battery, 180-day long standby time, four sound modes, one button can quickly switch the sound mode, the sound can be up to 120 decibels, IP65 waterproof, drop-proof, dust-proof and all three-proof Design, quick disassembly and firm installation, suitable for all kinds of bicycle handlebars of 22-31.8 mm.



***LOGO Needed**



MOTORCYCLE STANDS



84-10108

Motorcycle rear stand



84-10109

Motorcycle rear stand

CHAIN SEPARATORS



84-00019

3/8"~3/4" Chain separator



QUICK SWIVEL T-BAR SOCKETS




Material: CRV (Chrome Vanadium Steel)

ITEM NO.	DESCRIPTION	COVER COLOR	BODY COLOR
84-00151	Size: 8mm, O.D.: 10MM*200L*300L	Yellow	Yellow
84-00152	Size: 10mm, O.D.: 10MM*200L*300L	Blue	Blue
84-00153	Size: 12mm, O.D.: 10MM*200L*300L	Red	Red
84-00154	Size: 13mm, O.D.: 10MM*200L*300L	Green	Green
84-00155	Size: 14mm, O.D.: 10MM*200L*300L	Brown	Brown
84-00156	Size: 17mm, O.D.: 12MM*250L*300L	Purple	Purple

SET NO.	DESCRIPTION
84-00150	Quick swivel T-bar sockets, 5PCS in PVC bag SIZE: 8mm / 10mm / 12mm / 13mm / 14mm Material: CVR, with cover
84-00160	Quick swivel T-bar sockets, 6PCS in PVC bag SIZE: 8mm / 10mm / 12mm / 13mm / 14mm / 17mm Material: CVR, with cover



QUICK SWIVEL T-BAR HANDLES



Material: CRV (Chrome Vanadium Steel)

ITEM NO.	DESCRIPTION	COVER COLOR	BODY COLOR
84-00171	O.D.: 1/4", 10MM*180L*250L	Green	Green
84-00172	O.D.: 3/8", 10MM*180L*250L	Blue	Blue
84-00173	O.D.: 1/2", 12MM*250L*300L	Red	Red